DOCKET NO.: VTN5035 **Application No.:** 10/776,739 **Office Action Dated:** June 21, 2006

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-5. Canceled.

6. (Currently Amended). The A composition of claim 1 having the formula

$$\begin{array}{c} \text{(CH}_3)_3\text{SiO} \\ \text{CH}_3-\text{Si} \\ \text{(CH}_3)_3\text{SiO} \\ \end{array} \begin{array}{c} \text{OSi(CH}_3)_3 \\ \text{OSi(CH}_3)_3 \\ \\ \text{OSi(CH}_3)_3 \\ \end{array}$$

7. **(Withdrawn).** A polymer formed from a reaction mixture comprising at least one hydrophilic monomer, at least one silicone containing component and at least one (meth)acrylamide monomer of the formula:

$$\bigcap_{R} \bigcap_{\text{OH}} \bigcap_{\text{OH}} \bigcap_{\text{SiR}^2 R^3 R^4}$$

wherein R is H or CH₃, R¹ is selected from H, substituted and unsubstituted alkyl groups having 1 to 8 carbon atoms, substituted and unsubstituted benzene and toluene groups and

DOCKET NO.: VTN5035 PATENT

Application No.: 10/776,739
Office Action Dated: June 21, 2006

and R², R³ and R⁴ are independently selected from alkyl groups having 1 to 8 carbon atoms, substituted and unsubstituted benzene and toluene groups, and –OSiR⁵R⁶R⁷ wherein R⁵, R⁶ and R⁷ are independently selected from the group consisting of straight or branched alkyl groups having 1 to 4 carbon atoms.

- 8. (Withdrawn). The polymer of claim 7 wherein said at least one hydrophilic monomer comprises at least one polymerizable double bond and at least one hydrophilic functional group.
- 9. **(Withdrawn).** The polymer of claim 7 wherein said at least one hydrophilic monomer is selected from the group consisting of hydrophilic vinyl-containing monomers, polyoxyethylene polyols, vinyl carbonate monomers, vinyl carbamate monomers, oxazolone monomers, and mixtures thereof.
- 10. (Withdrawn). The polymer of claim 7 wherein said at least one hydrophilic monomer is selected from the group consisting of N,N-dimethyl acrylamide, 2-hydroxyethyl acrylate, 2-hydroxyethyl methacrylate, glycerol methacrylate, 2-hydroxyethyl methacrylamide, N-vinylpyrrolidone, and polyethyleneglycol monomethacrylate.
- 11. **(Withdrawn).** The polymer of claim 7 wherein said at least one hydrophilic monomer is selected from the group consisting of 2-hydroxyethyl methacrylate, N,N-dimethyl acrylamide, N-vinylpyrrolidone and mixtures thereof.
- 12. (Withdrawn). The polymer of claim 7 wherein said at least one hydrophilic monomer is present in amounts between about 10 to about 60 weight% based upon the weight of all reactive components.
- 13. (Withdrawn). The polymer of claim 7 wherein said at least one hydrophilic monomer is present in an amount between about 15 to about 50 weight % based upon the weight of all reactive components.
- 14. **(Withdrawn).** The polymer of claim 7 wherein said at least one hydrophilic monomer is present in an amount between about 20 to about 40 weight % based upon the weight of all reactive components.
- 15. (Withdrawn). The polymer of claim 7 wherein said silicone containing component is selected from the group consisting of silicone macromers, prepolymers and monomers.

DOCKET NO.: VTN5035 PATENT

Application No.: 10/776,739 **Office Action Dated:** June 21, 2006

Office Action Dated: June 21, 2006

16. (Withdrawn). The polymer of claim 15 wherein said silicone containing component is a silicone macromer selected from the group consisting of polydimethylsiloxane methacrylated with pendant hydrophilic groups, polydimethylsiloxane macromers with polymerizable functional group(s), polysiloxane macromers incorporating hydrophilic monomers, macromers comprising polydimethylsiloxane blocks and polyether blocks, silicone and fluorine containing macromers and combinations thereof.

- 17. **(Withdrawn).** The polymer of claim 15 wherein said silicone containing component is a silicone monomer selected from the group consisting of tris(trimethylsiloxy)silylpropyl methacrylate, hydroxyl functional silicone containing monomers, amide analogs of TRIS, vinylcarbamate analogs, vinyl carbonate analogs, monomethacryloxypropyl terminated polydimethylsiloxanes, polydimethylsiloxanes and mixtures thereof.
- 18. **(Withdrawn).** The polymer of claim 15 wherein said silicone containing component is a silicone monomer selected from the group consisting tris(trimethylsiloxy)silylpropyl methacrylate, mPDMS and combinations thereof.
- 19. (Withdrawn). The polymer of claim 7 further comprising at least one internal wetting agent.
- 20. (Withdrawn). The polymer of claim 19 wherein said internal wetting agent comprises at least one high molecular weight hydrophilic polymer.
- 21. (Withdrawn). The polymer of claim 20 wherein said high molecular weight hydrophilic polymer is selected from the group consisting of polyamides, polylactones, polylactams and functionalized polyamides, polylactones, polylactams, hydrophilic prepolymers, and combinations thereof.
- 22. (Withdrawn). The polymer of claim 20 wherein said high molecular weight hydrophilic polymer is selected from the group consisting of poly-N-vinyl pyrrolidone, poly-N-vinyl-2- piperidone, poly-N-vinyl-2-caprolactam, poly-N-vinyl-3-methyl-2- caprolactam, poly-N-vinyl-3-methyl-2-piperidone, poly-N-vinyl-4-methyl-2- piperidone, poly-N-vinyl-4-methyl-2-caprolactam, poly-N-vinyl-3-ethyl-2- pyrrolidone, and poly-N-vinyl-4,5-dimethyl-2-pyrrolidone, polyvinylimidazole, poly-N-dimethylacrylamide, polyvinyl alcohol, polyacrylic acid, polyethylene oxide, poly 2 ethyl oxazoline, heparin polysaccharides, polysaccharides, mixtures and copolymers thereof.

DOCKET NO.: VTN5035 PATENT

Application No.: 10/776,739
Office Action Dated: June 21, 2006

23. **(Withdrawn).** The polymer of claim 20 wherein said high molecular weight hydrophilic polymer comprises poly-N-vinylpyrrolidone.

- 24. (Withdrawn). The polymer of claim 20 wherein said high molecular weight hydrophilic polymer is present in an amount between about 1 to about 15 weight percent based upon the total of all reactive components.
- 25. (Withdrawn). The polymer of claim 20 wherein said high molecular weight hydrophilic polymer is present in an amount between about 3 to about 15 percent, based upon the total of all reactive components.
- 26. (Withdrawn). The polymer of claim 7 wherein said reaction mixture further comprises additional components selected from the group consisting of crosslinking agents, photoinitiators, diluents, UV absorbers, medicinal agents, antimicrobial compounds, reactive tints, pigments, copolymerizable and nonpolymerizable dyes, release agents and combinations thereof.
- 27. (Currently Amended). A composition of the formula selected from the group consisting of N (2 hydroxy 3 (3 (bis(trimethylsilyloxy)methylsilyl)propyloxy)propyl) acrylamide; N,N-bis[2-hydroxy-3-(3-(bis(trimethylsilyloxy)methylsilyl)propyloxy)propyl) 2 methyl acrylamide; N (2 hydroxy 3 (3 (tris(trimethylsilyloxy)silyl)propyloxy)propyl) 2 methyl acrylamide; N,N bis[2 hydroxy 3 (3 (tris(trimethylsilyloxy)silyl)propyloxy)propyl]2 methyl acrylamide; N,N-bis[2-hydroxy-3 (3 (tris(trimethylsilyloxy)silyl)propyloxy)propyl] acrylamide; N [2-hydroxy-3 (3 (tris(trimethylsilyl)propyloxy)propyl] 2 methyl acrylamide; N [2-hydroxy-3 (3 (tris(trimethylsilyl)propyloxy)propyl] 2 methyl acrylamide; N,N-bis[2-hydroxy-3 (3 (tris(trimethylsilyl)propyloxy)propyl] 3 methyl acrylamide; N,N-bis[2-hydroxy-3 (3 (tris(trimethylsilyl)propyloxy)propyl)propyloxy)propyloxy)propyloxy

DOCKET NO.: VTN5035 **Application No.:** 10/776,739 **Office Action Dated:** June 21, 2006

28. (Withdrawn). A polymer comprising at least one group of the formula:

$$\begin{pmatrix}
O \\
N \\
N \\
OH
\end{pmatrix}$$
SiR²R³R⁴

wherein R is H or CH₃, R¹ is selected from H, substituted and unsubstituted alkyl groups having 1 to 8 carbon atoms, substituted and unsubstituted benzene and toluene groups and

and R², R³ and R⁴ are independently selected from alkyl groups having 1 to 8 carbon atoms, substituted and unsubstituted benzene and toluene groups, and –OSiR⁵R⁶R⁷ wherein R⁵, R⁶ and R⁷ are independently selected from the group consisting of straight or branched alkyl groups having 1 to 4 carbon atoms.

- 29. (New). A composition comprising N,N-bis[2-hydroxy-3-(3-(bis(trimethylsilyloxy)methylsilyl)propyloxy)propyl] 2-methyl acrylamide.
- 30. (New). A composition comprising N,N-bis[2-hydroxy-3-(3-(tris(trimethylsilyloxy)silyl)propyloxy)propyl]2-methyl acrylamide.
- 31. (New). A composition comprising N,N-bis[2-hydroxy-3-(3-(tris(trimethylsilyloxy)silyl)propyloxy)propyl] acrylamide.
- 32. (**New**). A composition comprising N,N-bis[2-hydroxy-3-(3-(*t*-butyldimethylsilyl)propyloxy)propyl]-2-methyl acrylamide.
- 33. (**New**). A composition comprising N,N-bis[2-hydroxy-3-(3-(*t*-butyldimethylsilyl)propyloxy)propyl] acrylamide.
- 34. (New). A composition comprising N-[2-hydroxy-3-(3-(*t*-butyldimethylsilyl)propyloxy)propyl]-2-methyl acrylamide.

DOCKET NO.: VTN5035 **PATENT**

Application No.: 10/776,739
Office Action Dated: June 21, 2006

35. (New). A composition comprising N-[2-hydroxy-3-(3-(t-

butyldimethylsilyl)propyloxy)propyl] acrylamide.